## M2S1 - EXERCISES 5 COVARIANCE AND MULTIVARIATE DISTRIBUTIONS

1. Suppose that X and Y have joint pdf given by

$$f_{X,Y}(x,y) = cxy(1-x-y) \qquad 0 < x < 1, 0 < y < 1, 0 < x+y < 1.$$

for some constant c > 0. Find the covariance of X and Y.

2. Suppose that X and Y have joint pdf that is constant on the range  $\mathbb{X}^{(2)} = (0,1) \times (0,1)$ , and zero otherwise.

- (a) Find the marginal pdf of random variables U = X/Y and  $V = -\log(XY)$ , stating clearly the range of the transformed random variable in each case.
- (b) Find the pdf and cdf of Z = X Y.

3. Suppose that continuous random variables  $X_1, X_2, X_3$  are independent, and have marginal pdfs specified by

$$f_{X_i}(x_i) = c_i x_i^i e^{-x_i} \qquad x_i > 0$$

for i = 1, 2, 3. Find the joint pdf of random variables  $Y_1, Y_2, Y_3$  defined by

$$Y_1 = X_1/(X_1 + X_2 + X_3)$$
  $Y_2 = X_2/(X_1 + X_2 + X_3)$   $Y_3 = X_1 + X_2 + X_3$ 

and evaluate the marginal expectation of  $Y_1$ .

4. Suppose that X and Y are continuous random variables with pdf given by

$$f_{X,Y}(x,y) = \frac{1}{2\pi} \exp\left\{-\frac{1}{2}(x^2+y^2)\right\}$$
  $x, y \in \mathbb{R}$ 

- (a) Let random variable U be defined by U = X/Y. Find the pdf of U.
- (b) Suppose now that S is a random variable, independent of X and Y, with pdf given by

$$f_S(s) = c(\nu)s^{\nu/2-1}e^{-s/2}$$
  $s > 0$ 

where  $\nu$  is a positive integer and  $c(\nu)$  is a constant function of  $\nu$ . Find the pdf of random variable T defined by

$$T = \frac{X}{\sqrt{S/\nu}}$$

5. Suppose that the joint pdf of random variables X and Y is specified via the conditional density  $f_{X|Y}$ and the marginal density  $f_Y$  as

$$f_{X|Y}(x|y) = \sqrt{\frac{y}{2\pi}} \exp\left\{-\frac{yx^2}{2}\right\} \qquad x \in \mathbb{R} \qquad f_Y(y) = c(\nu)y^{\nu/2-1}e^{-\nu y/2} \qquad y > 0$$

where  $\nu$  is a positive integer. Find the marginal pdf of X.

M2S1 EXERCISES 5: page 1 of 1