# M2S1 - EXERCISES 7

## THE CENTRAL LIMIT THEOREM

1. Using the Central Limit Theorem, construct Normal approximations to probability distribution of a random variable $X$ having

(i) a Binomial distribution, $X \sim Binomial(n, \theta)$

(ii) a Poisson distribution, $X \sim Poisson(\lambda)$

(iii) a Negative Binomial distribution, $X \sim NegBinomial(n, \theta)$

(iv) a Gamma distribution,$X \sim Gamma(\alpha, \beta)$

## EXTREME ORDER STATISTICS AND LIMITING DISTRIBUTIONS

In the following questions, use the following results concerning extreme *order statistics*; if $X_1, ...X_n$ are a collection of independent and identically distributed random variables taking values on $\mathbb{X}$ with mass function/pdf $f_X$ and cdf $F_X$, let $Y_n$ and $Z_n$ correspond to the *maximum* and *minimum* order statistics derived from $X_1, ...X_n$, that is

$$Y_n = \max\{X_1, ..., X_n\} \qquad Z_n = \min\{X_1, ..., X_n\}.$$

Then the cdfs of $Y_n$ and $Z_n$ are given by

$$F_{Y_n}(y) = \{F_X(y)\}^n \qquad F_{Z_n}(z) = 1 - \{1 - F_X(z)\}^n.$$

2. Suppose $X_1, ..., X_n \sim Uniform(0, 1)$, that is

$$F_X(x) = x \qquad 0 \leq x \leq 1$$

Find the cdfs of $Y_n$ and $Z_n$, and the limiting distributions as $n \longrightarrow \infty$.

3. Suppose $X_1, ..., X_n$ have cdf

$$F_X(x) = 1 - x^{-1} \qquad x \geq 1$$

Find the cdfs of $Z_n$ and $U_n = Z_n^n$, and the limiting distributions of $Z_n$ and $U_n$ as $n \longrightarrow \infty$.

4. Suppose $X_1, ..., X_n$ have cdf

$$F_X(x) = \frac{1}{1 + e^{-x}} \qquad x \in \mathbb{R}$$

Find the cdfs of $Y_n$ and $U_n = Y_n - \log n$ and the limiting distributions of $Y_n$ and $U_n$ as $n \longrightarrow \infty$.

5. Suppose $X_1, ..., X_n$ have cdf

$$F_X(x) = 1 - \frac{1}{1 + \lambda x} \qquad x > 0$$

Find the cdfs of $Y_n$ and $Z_n$, and the limiting distributions as $n \longrightarrow \infty$. Find also the cdfs of $U_n = Y_n/n$ and $V_n = nZ_n$, and the limiting distributions of $U_n$ and $V_n$ as $n \longrightarrow \infty$.

6. Suppose $X_1, ..., X_n \sim Poisson(\lambda)$. Let

$$M_n = \frac{1}{n} \sum_{i=1}^{n} X_i$$

Show that $M_n \xrightarrow{p} \lambda$ as $n \longrightarrow \infty$. If random variable $T_n$ is defined by $T_n = e^{-M_n}$, show that $T_n \xrightarrow{p} e^{-\lambda}$, and using the Central Limit Theorem find the approximate probability distribution of $T_n$ as $n \longrightarrow \infty$.